

Gas Fryer GBF-80G

The GBF-80G gas fryer is designed to meet today's demand for high efficiency, flexibility, reliability and ease of operation. Cook delicious foods with minimum effort & expense to yield maximum profits. Perfect for a wide variety of menu favorites

Choose either Natural or LP gas fuel. Single fryer or multi-

with plenty of capacity to feed a hungry crowd.

80-lbs shortening capacity with an 18" square vat.
80,000 BTU with patented heat exchanger (US Patent 10,928,140 B2). Cooks evenly with a rapid recovery time while producing significantly lower flue stack temperatures.
Intuitive computer controller precisely monitors & controls operation. Programmable cooking presets for up to fifty (50) different items. Features energy-saving Cool Mode, Force-Filter, Low Oil, Boil-Out, password protection & a multi-

On-board oil filtering system powered by a robust 1/2 horsepower pump. Proper use can extend oil life by 50%.
Enhanced interlocks, high-limit oil temperature, maximum heat exchanger temperature, and low oil alerts to ensure safe

• Fits into limited space at only 21-3/4" wide.

Durable stainless steel construction.

well options (2-bank & 3-bank).

language display.

operation.







Design Features & Options



Patented Heat Exchanger

Ultra-high efficiency heat exchanger provides rapid recovery & reduced fuel usage. Top 95 percentile for gas fryer efficiency tested by California's Energy Wise program. US Patent 10,928,140 B2



Bulk Oil & Top-Off Optional factory installed ports on back of fryer allow for on-board fresh oil top-

off (oil reservoir) or connections to external fresh oil and/or waste systems.

Note: These options are currently only available in two and three banked units.



Automatic Basket Lift

Optional basket lifts to load, set & start cooking in one step. When cooking is done, basket is automatically lifted out of hot oil, preventing over-cooking.



KitchenTrac[®] WiFi

Optional remote monitoring uses built-in WiFi to monitor equipment in real time and collect critical data across multiple locations.

Click here for more details




Website: www.gfse.com • Email: services@gfse.com

Phone 334.272.1457 • Fax 334.239.4117 • Phone Toll Free 800.554.4537



PROVEN & TRUSTED SINCE 1952

Gas Fryer GBF-80G



Specifications

*Specifications and/or product design are subject to change without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment.

Dimensions:										
Model	Width	Depth	Height							
Single	20.4″	40.8″	48.9″							
	[519mm]	[1036mm]	[1241mm]							
2-Bank	40.9″	40.8″	48.9″							
	[1039mm]	[1036mm]	[1241mm]							
3-Bank	61.3″	40.8″	48.9″							
	[1558mm]	[1036mm]	[1241mm]							

Shipping Specifications:									
Model	Crated Weight	Uncrated Weight	Crated Dimensions						
Single	485 lbs	410 lbs	35″[W] x 47″[D] x 54″[H]						
	[220 kg]	[186 kg]	51 cubic ft						
2-Bank	900 lbs	780 lbs	53″[W] x 47″[D] x 54″[H]						
	[408 kg]	[354 kg]	78 cubic ft						
3-Bank	1346 lbs	1140 lbs	74″[W] x 47″[D] x 54″[H]						
	[611 kg]	[517 kg]	109 cubic ft						

Electrical Specifications:							
Model	Voltage	Amps	Ph	Wire			
GBF-80G	120	5.9	1	Cordset Included			

Gas Specifications: *INSTALL INSTRUCTIONS MUST BE FOLLOWED								
BTU	Fuel	Supply Line	Regulator					
80,000	NAT Input Pressure: 7″ w.c.	1/2″	Included					
	LP Input Pressure: 12″ w.c.	1/2	(*Additional may be required)					

Cooking Capacities (per vat):								
Model	Oil	Fries	Chicken (mixed pcs)					
GBF-80G	80 lbs [36 kg]	5 lbs [2.3 kg]	26 lbs *w/out baskets (8-way cut)					

Accessories Included:							
Item	Qty						
Fry Basket	2 (per well)						
Crumb Screen	1 (per well)						
Waste Oil Discharge Hose	1						
Scrub Brush	1						
Straight Round Brush	1						
L-Shape Round Brush	1						
Stirring Utensil	1						
Steel Crumb Scoop	1						

GILES Food Service Equipment

ISO 9001-2015 Certified 2750 Gunter Park Drive West • Montgomery, AL 36109 USA Phone 334.272.1457 • Fax 334.239.4117 • Phone Toll Free 800.554.4537 Website: <u>www.gfse.com</u> • Email: <u>services@gfse.com</u>






PROVEN & TRUSTED SINCE 1952

Step 1: Specify Base Fryer Part Number with Options:

How to Specify Single Fryer


Base Item No	Size	Fuel	Voltage	Hz	Ph
71872	Single	LP	120	60	1
71788	Single	NAT	120	60	1

71872-1: GBF-80G, Single, with Basket Lifts



Lifts Description 0 No lifts 1 With Lifts

How to Specify 2-Bank Fryer




How to Specify 3-Bank Fryer


$\underline{X X X X X X}_{I} \underline{X}_{I} - \underline{X X X}_{I} - \underline{X}_{L}$

Size		Fuel	Voltage	Hz	Ph	WiFi	Descript
Banl	k	LP	120	60	1		KitchenTrac [®]
-Banl	k	NAT	120	60	1	W	WiFi Monitorir Click here for I
							details

71988-101-T: GBF-80G, 3-Bank fryer, no WiFi, basket lifts in left fryer, no basket lifts in center fryer, basket lifts in right fryer, & oil reservoir fresh top-off.







*Option [T] cannot be combined with option [B]

Gas Fryer

GBF-80G

Step 2: Select Optional Accessories & Quantities:

Qty	Description	Part No.
	Extra Fry Baskets	70420
	Filter paper, case of (100) sheets	60819
	Filter powder, case of (60) packets	72004
	Boil-out, case of (24) 6-oz. packets	72003
	Pot Cover	80177
	Tool Caddy / Splash Shield	72067
	Splash Shield	72096

GILES Food Service Equipment ISO 9001-2015 Certified

2750 Gunter Park Drive West • Montgomery, AL 36109 USA Phone 334.272.1457 • Fax 334.239.4117 • Phone Toll Free 800.554.4537 Website: <u>www.gfse.com</u> • Email: <u>services@gfse.com</u>